

**Table 1.** The 67 freshwater gastropod species inhabiting US Atlantic drainages, ranked by total incidence. Note that the row totals do not sum because of double-counting where rivers comprise state boundaries. The far right column shows **incidence ranks**, analogous to various systems of conservation status ranking currently in vogue. The suffix "p" designates a peripheral species, and an asterisk\* indicates non-apparent rarity.

Species	GA	SC	NC	VA	MA	Total	Log(2)	FWGNA
<i>Physa acuta</i>	77	162	619	216	700	1760	10.78	I-5
<i>Campeloma decisum</i>	127	167	553	239	89	1167	10.19	I-5
<i>Menetus dilatatus</i>	66	110	485	191	260	1103	10.11	I-5
<i>Ferrissia fragilis</i>	41	80	570	147	161	996	9.96	I-5
<i>Lymnaea columella</i>	63	128	366	118	158	828	9.69	I-5
<i>Helisoma anceps</i>	16	62	306	174	109	663	9.37	I-5
<i>Leptoxis carinata</i>			104	358	139	594	9.21	I-5
<i>Laevapex fuscus</i>	22	87	257	50	36	449	8.81	I-5
<i>Pleurocera proxima</i>	17	61	252	40	1	371	8.54	I-5
<i>Amnicola limosa</i>	65	40	133	34	99	363	8.50	I-5
<i>Lymnaea humilis</i>	1	1	47	97	199	340	8.41	I-5
<i>Helisoma trivolvis</i>	34	53	92	35	110	318	8.31	I-5
<i>Pleurocera catenaria</i> (both)	90	55	147	26		317	8.31	I-5
<i>Lyogyrus granum</i>	33	26	105	69	53	282	8.14	I-5
<i>Ferrissia rivularis</i>			7	52	228	281	8.13	I-5
<i>Gyraulus parvus</i>	22	33	32	37	118	239	7.90	I-5
<i>Pleurocera virginica</i>			32	85	117	225	7.81	I-5
<i>Physa gyrina</i>	1		7	61	80	148	7.21	I-4
<i>Somatogyrus virginicus</i>	33	17	49	7		106	6.73	I-4
<i>Physa pomilia</i>	12	24	19	35	11	97	6.60	I-4
<i>Physa carolinae</i>	20	18	29	21	5	91	6.51	I-4
<i>Planorbula armigera</i>			38	3	20	61	5.93	I-4
<i>Littoridinops tenuipes</i>	4	10	18	7	18	56	5.81	I-4
<i>Bellamya japonica</i>		13	4	15	20	50	5.64	I-4
<i>Promenetus exacuus</i>	2	7	19	5	11	44	5.46	I-4
<i>Gillia altilis</i>	1	1	34	2		38	5.25	I-4
<i>Lymnaea cubensis</i>	6	21	13			38	5.25	I-4
<i>Lioplax subcarinata</i>		3	26	7	1	37	5.21	I-4
<i>Bellamya chinensis</i>					33	33	5.04	I-4
<i>Viviparus intertextus</i>	3	20	8			31	4.95	I-4
<i>Valvata bicarinata</i>	19	4	5		2	29	4.86	I-4
<i>Fontigens nickliniana</i>				21	5	26	4.70	I-4
<i>Viviparus georgianus</i>	6	7		1	9	23	4.52	I-4
<i>Notogillia sathon</i>	22					22	4.46	I-3*
<i>Pleurocera semicarinata</i>				20		20	4.32	I-3p
<i>Fontigens bottimeri</i>				2	17	19	4.25	I-3*
<i>Valvata tricarinata</i>	1	1		2	15	17	4.09	I-3p
<i>Fontigens orolibas</i>				14	2	16	4.00	I-3*
<i>Spilochlamys turgida</i>	15					15	3.91	I-3*
<i>Hebetancylus excentricus</i>	5	5	3	2		15	3.91	I-3p
<i>Helisoma campanulatum</i>					14	14	3.81	I-3p

Lymnaea catascopium					14	14	3.81	I-3p
Lyogyrus latus	13					13	3.70	I-3*
Marstonia halcyon	11					11	3.46	I-3*
Pomacea maculata	5	5				10	3.32	I-3p
Lymnaea elodes					9	9	3.17	I-3p
Gyraulus deflectus				1	8	9	3.17	I-3p
Somatogyrus pennsylvanicus					8	8	3.00	I-3*
Bithynia tentaculata				5	6	6	2.58	I-3p
Pomatiopsis lapidaria				1	5	6	2.58	I-3p
Viviparus subpurpureus		5				5	2.32	I-2p
Floridobia A	5					5	2.32	I-2
Floridobia waccamaw			4			4	2.00	I-2
Pleurocera floridensis	4					4	2.00	I-2p
Fontigens morrisoni				3		3	1.58	I-2
Helisoma eucosmium			3			3	1.58	I-2
Helisoma magnificum			3			3	1.58	I-2
Marstonia agarhecta	3					3	1.58	I-2
Fontigens tartarea				2		2	1.00	I-2
Pomacea paludosa		2				2	1.00	I-2p
Biomphalaria obstructa	1	1				2	1.00	I-2p
Floridobia floridana	2					2	1.00	I-2p
Aplexa hypnorum					1	1	0.00	I-1p
Physa vernalis					1	1	0.00	I-1
Potamopyrgus antipodarum					1	1	0.00	I-1p
Holsingeria unthansensis				1		1	0.00	I-1
Marstonia gaddisorum	1					1	0.00	I-1
<b>TOTALS</b>	<b>869</b>	<b>1229</b>	<b>4389</b>	<b>2206</b>	<b>2893</b>	<b>11471</b>		